

Contribution to Animal Health



MICIZIA LIFE SCIENCE PVT. LTD
Animal Health Division

Being friends forever



SAFETY Vet™



MOST TRUSTED ANTI INFECTIVE

Composition:

Each vial contains: Ceftriaxone Sodium I.P.
125 mg/250 mg / 500 mg / 1 gm / 2 gm / 3 gm

Indication:

Gastrointestinal tract, Respiratory tract,
Genital tract, Urinary tract, Skin, Wound, Joint, Bone & Soft
Tissue Infections. Septicaemia, Bacteraemia & as a
general antibiotic when broad spectrum activity is required.

Dosage :

5mg to 10mg per kg Body weight by IV/IM route for 3 to 5
days or as advised by Veterinarian.

Presentation : 125 mg, 250 mg, 500 mg, 1 gm, 2 gm & 3 gm

SAFETY Vet Plus™

MOST TRUSTED & MOST POWERFUL ANTI INFECTIVE



Composition:

Sterile Ceftriaxone Sodium I.P. eq. to Anhydrous Ceftriaxone	250 mg	500 mg	1 gm	2 gm	3 gm	4 gm
Tazobactam Sodium IP eq.to Anhydrous Tazobactam	31.25 mg	62.50 mg	125 mg	250 mg	375 mg	500 mg

Indication:

Gastrointestinal tract, Respiratory tract (HS, Pneumonia, Bronchitis), Uro-Genital tract
(Metritis, Endometritis, Pyometra) Skin & Soft tissue (Abscess, Surgical Wound,
Maggoted wound), Joint & Bone Infections. Masitis Septicaemia, Bacteraemia,
Pre-operative prophylaxis & post-operative treatment & disease of unknown
etiology when broad spectrum activity is required.

Dosage & Administration:

5 to 10mg per kg Body weight by IV/IM route for
3 to 5 days or as advised by Veterinarian.

Presentation : 281.25 mg/ 562.50 mg/1.125 gm/3.375 gm./4.5 gm

Answer for All Types of Productive & Dry Cough



COUGH NULL

Composition:

Each 5 ml contains: Terbutaline Sulphate IP: 1.25 mg | Guaiphenesin IP: 50 mg
Bromhexine HCL IP: 4 mg

Indication :

Coughnull cures Cough, Common Cold,
Chest Congestion, Breathing Problem.
Coughnull expulses the mucus by its expectorant property.
Coughnull arrests the Inflammation, Nasal discharge.
Coughnull as supportive treatment in Bronchitis,
Pneumonia, Laryngitis, Sinusitis, Coryza.

Dosage & Administration :

Small Animal : 5 to 10 ml twice a day
Large Animal : 20 to 30 ml twice a day
Poultry (For 100 birds) : Chicks- 10 ml. twice daily,
Broilers- 15-20 ml. twice daily, Layers- 25-30 ml.
twice daily or as advised by Veterinarian.



Presentation : 100 ml., 500 ml

CANOTIL

A Step Forward.....The Latest in Animal Health Antibiotic Therapy

Composition:

Each Film coated Tablet Contains
CEFPODOXIME PROXETIL IP equivalent to CEPFODOXIME – 100 mg / 200 mg

Indication :

CANOTIL is indicated for the treatment of infection caused by
Staphylo Coccus intermidius, Staphylo Coccus Saprophyticus,
Staphylo Coccus Aureus, Staphylo Coccus Canis, Staphylo
Coccus Pneumonia, Escherichia Coli, Klebsiella Pneumonia,
Haemophilus Influenza, Moraxella Catarrhalis, Pasturella Multocida
& Proteus Mirabilis. It is used to treat various bacterial infections such
as Skin Infection(Wounds, Abscesses), Soft Tissue infection, Respiratory
tract infection(Bronchitis, Pneumonia), Urinary tract infections,
Ear infections, Throat Infections, Tonsillitis, Sinuses & follow up
therapy after injectable antibiotic



Dosage & Administration :

The dose range of CANOTIL is 5 to 10 mg/ Kg Body Weight,
Administered orally once a day or as advised by Veterinarian

Presentation : 100 mg & 200 mg.
(Strip of 10 Tablets in a Mono Cartoon.)

QUICK RELIEF FROM DIARRHOEA & DESENTERY...
IN ACUTE DIARRHOEA & DYSENTERY ... PROMPT THERAPHY IS NEEDED

DiaronilTM

Composition:

Each uncoated Bolus contains:
Metronidazole I.P.: 1000mg
Furazolidone I.P.: 500mg | Loperamide HCl : 7.5mg

Indication :

DIARONIL highly Effective in Diarrhoea & Dysentery of mixed bacterial & protozoal infections. Inflammatory bowl disease.. Effective in Amoebiasis ,Giardiasis Trichomoniasis, Salmonellosis. Effective in Balantidium infection in Swine.

Dosage & Administration :

Small Animals : 1 -2 Boli Twice Daily for 3- 5 days depending upon the severity
Large Animals :2-4 Boli Twice Daily for 3 -5 days, depending upon the severity Or as advised by Veterinarian.



Presentation : 10 × 4 Boli

PYRONULLTM

Composition:

COMPLETE RELIEF FROM FEVER, PAIN & INFLAMMATION

Each uncoated Bolus contains :
Aceclofenac : 300 mg | Paracetamol I.P. : 1500 mg
Serratiopeptidase IP : 75 mg

Indication :

- Pyrexia of all origin. Ephemeral Fever (Three days sickness).
- Pain & Fever associated with infections.
- Adjunct Antibiotics in severe infections to reduce high Fever.
- Inflammatory conditions following Reproductive disorders like Metritis, Pyometra, Prolapse & Mastitis.
- Acute & Chronic inflammatory conditions like Osteoarthritis, Rheumatoid Arthritis, Myositis, Lameness, Pharyngitis, Otitis, & Rhinitis.
- Gastrointestinal colic and Renal colic.
- Mild & moderate post-operative care.
- Hip dysplasia in dog.

Dosage & Administration :

Small Animal :1 Bolus twice daily
Large Animal : 2 Boli twice daily or as directed by Veterinarian



Presentation : 10 × 4 Boli



ZymolivTM Gold BOLUS

End of Search.....THE ULTIMATE SOLUTION FOR DIGESTIVE DISORDER.

Composition:

Each uncoated Bolus contains :

Saccharomyces Cerevisiae : 2 X 10¹⁰ CFU | Lactobacillus Sporogenes : 12.5 X 10⁷ CFU
Fructo Oligosaccharide : 250 mg | Protein Hydrolysate : 700 mg | Vitamin A : 1600 IU
Vitamin D:4000 IU | Vitamin B12 : 30 Mcg | Vitamin E 75 Mg | Selenium 75 mg
Cobalt Chloride : 8 mg | Copper Sulphate : 24 mg | Niacin : 250 mg
Biotin : 2 mg | Zinc : 60 mg | Ferrous Sulphate : 250 mg | Sodium Bicarbonate : 50 mg
Dried Liver Extract : 5 mg | Yeast Extract : 990 mg | Sea weed Extract : 100 mg
Digestive Enzyme : Papain, Fungal Diastase, Phytase,
Cellulase, Xylanase, Betagluco-nase, Pectenase, Amylase complex : 1 gm
Ruminotoric : Nux Vomica, Ginger Powder, Light Kaoline added | Dextrose : Q.S.

Indication :

Improves and Increases Appetite and a Unique Digestive Booster.
Accelerate Digestive Process. Corrects Indigestion, Anorexia, Impaction and other Digestive Disorders.
Reduces Pathogen load in Intestinal Tract by Optimizing Rumen Ecology.
Enhances and Stimulates the Activity of Ruminant Micro Flora.
Maintain Ruminant pH.
Also helps to increase Resistance Power
Supportive therapy along with Anti Bloat to remove the root cause of gas formation.
Supportive therapy along with Antibiotic to regenerate the Ruminant Microflora.

Dosage & Administration :

Large Animal : 1st Day 2 Boli two times & then 1 Bolus twice daily for 3-5 days.
Small Animal : 1st Day 1 Bolus two times & then ½ Bolus twice daily for 3-5 days.

Presentation : 30 × 4 Boli

**100% SAFE
IN PREGNANCY**

FENVETTM

SAFEST & MOST EFFICIENT DEWORMER

Composition:

Each uncoated Bolus/Tablet contains:
Fenbendazole IP : 1.5 Gm/150 mg

Indication :

Infestation of Gastrointestinal Roundworms, Hookworms, Lung worms, Whipworms, Tapeworms & Pinworms (Haemonchus spp., Ostertagia spp., Trichostrongylus spp., Metastrongylus spp., Cooperia spp., Nematodirus spp., Neoascaris vitulorum, Oesophagostomum spp., Chabertia spp., Bunostomum spp., Capillaria spp., Trichuris spp., Strongyloides spp., Hylostrongylus rubidus, Ascaris Summ., Dictyocaulus spp., Moniezia spp., etc) in Cattle, Buffalo, Pig, Sheep & Goat.

Dosage & Administration :

5mg to 7.5 mg Fenvet per kg body weight or as advised by Veterinarian.



**Presentation : 1.5 Gm bolus (5 X 2 Boli)
150 Mg Tablet (5X 10 Tablets)**

WORMNULL®-DP

Suspension of Albendazole + Ivermectin

Composition:

Each 30 ml contains

Albendazole (Micronised) IP : 750 mg | Ivermectin IP : 25 Mg

Indication :

Albendazole is a synthetic Anthelmintic which belongs to the group of Benzimidazole derivatives and provides an action against a wide range of worms like Tapeworms (Cestodes), and Round worms, Pinworms, Whipworms, Hookworms, Filariae (Nematodes) and also against adult Fluke (Trematode) at higher dose.

Ivermectin (Avermectin group) Infestations of Lice, Ticks, Mites and Scabies in Sheep, Goat, Cattle, Buffalo & Swine.

Dosage & Administration :

5 mg Micronised Wormnull DP per kg of body weight

Large Animals - 60-90ml | Small Animals - 5-10ml or as directed by Veterinarian.

In all animals, repeating the treatment 3 weeks after first dose and thereafter every 4 to 6 months, offers better control of the worms infestation & enhances Production, Reproduction & Performance.



Presentation :

30ml, 60ml, 90 ml

Freedom from Ticks, Lice & Mites.....

Deltrin™

Highly Effective and Safe Ectoparasiticide

Composition:

Each ml contains

Deltamethrin B.P. : 12.5 mg

Indication :

To control the Ectoparasiticide in Cattle, Buffalo, Sheep, Goat, Pig & Farm houses.

Dosage & Administration :

Spray or Dip:

Ticks : 2ml per Litre of Water

Flies : 2ml per Litre of Water

Lice : 1ml per Litre of Water

Mites : 4ml per Litre of Water

For Curative:

Two treatments at 8 to 10 days interval necessary or as advised by Veterinarian.



Presentation : Aluminium container of 15 ml, 50 ml, 250ml & 1 litre

Freedom From Ticks & Fleas.....

Deltrin Soap

Composition:

Each Soap contains
Permethrin BP: 5% W/W
Cetrimide IP : 1% W/W
Aloe Vera : 1% W/W

A Medicated Ectoparasiticide Soap



Indication :

Ticks and Fleas are the carriers of different diseases and cause a lot of discomfort to our Animals. Deltrin Soap is Anti Tick & Flea Soap has been specially formulated for the effective control of Ticks and Fleas on animals.

Type of action: Broad spectrum contact, non systemic

Ectoparasiticide: Insecticide, Acaricide, Tickicide, Louisicide, Larvicide.

Main veterinary parasites & insects controlled: Flies, Ticks, Mites, Lice, Fleas, Mosquitoes,

Dosage & Administration :

Presentation : 75 gm

Deltrin Soap to get freedom from all type of Ecto-Parasites. Deltrin Soap is gentle on the skin and is easy to use. Deltrin Soap is available in 75 gm packing, which is sufficient for 5-6 animals. Use Deltrin Soap below the Neck region. Avoid contact with eyes & Mouth. Avoid using during Pregnancy. Not recommended for Animal below two months of age.

Broad Spectrum Dermatological Ointment

DARMELO

MITICIDAL, ANTIFUNGAL, ANTISEPTIC, ANTI-INFLAMMATORY
AND FLY REPELLENT SKIN OINTMENT

Composition:

?????

Indication :

- Sarcoptic Mange, Demodectic Mange, Psoroptic Mange, Chorioptic Mange
- Maggotted Wounds, Bite Wounds, Ulcerated Wounds, Gangrenous Wounds, Surgical Wounds, Traumatic Wounds, Infected Wounds, Septic Wounds, Lacerated Wounds
- Broken Horn , Burn and other injuries
- Dermatomycosis, Ringworm, Eczema
- Degnalla, Sores and Fissures
- Foot lesions in F.M.D., Foot rot

Dosage & Administration :

Clean the affected area, and apply in sufficient quantity, once or twice daily until complete cure is achieved or as advised by Veterinarian.



Presentation : 50 g Tube

Composition:

Each ml contains
Doramectin -10mg



AMIDO

Highly bio-active. Cross resistance free endectocide

Indication :

Cattle: Amido treats and controls gastro-intestinal roundworms, suckling lice, mange mites, Parafilaria ("false bruising") screwworms, eye worms, sand tampans and single-host ticks.

Sheep & Goats: Amido controls and treats gastro-intestinal round worms, eye worms, sheep scab and itch mites, nasal worm and aids in control of blow fly.

Pigs: Amido controls round worms and lungworms, eye worms and kills sarcoptic mange mites and lice.

Dosage & Administration :

Cattle: Inject, either into the muscle or under the skin, 1 ml of per 50 kg body weight. Sheep & Goats: Inject, either into the muscle or under the skin, 1 – 1.5 ml per 50 kg body weight

Pigs: Inject into the muscle 1 ml per 33 kg body weight or as advised by Veterinarian

Presentation : 10 ml Vial &
1 ml vial with 2ml syringe

AVIMEC TABLET

Composition:

Each Uncoated Tablet Contains Ivermectin IP : 10 mg

Dosage & Administration :

200 mcg Ivermectin per kg body weight or Single Table of Avimec for 50 kg body weight or as advised by Veterinarian.

Presentation : 10 × 10 Tablets

Sulfa Quin Gold™ BOLUS

Composition:

Each uncoated Bolus Contains : Sulphadimidin IP: 5 gm


Indication :

Haemorrhagic septicaemia, Foot Rot, Bronchopneumonia, Calf Diphtheria, Calf Diarrhoea, Calf Scours, Bacterial Enteritis, Actinobacillosis, Salmonellosis, Wooden Tongue, Pasteurellosis. Supportive therapy in Metritis and Mastitis of adult cattle and in Coccidiosis of calves.

Dosage & Administration :

Dosage & Administration : 2 boli per 50 kg Body Weight. Followed by half the dose every day . Period of Treatment maximum of 4 days or as advised by Veterinarian.

Presentation : 5 × 4 Boli



OXY GOLD BOLUS

Composition:

Each uncoated Bolus Contains
Oxytetracyclin Hydrochloride IP :500 Mg

Indication :

Follow up therapy after Antibiotic Injection
As Pessary :In the prevention and treatment of infection following Parturation, Dystokia, Abortion, Retention of Placenta, Metritis, Pyometra & Cervicitis.

Dosage & Administration :

1bolus per 50 Kg body weight orally for 3 days to 5 days For Genital Tract use: 1-2 bolus in Uterus or as advised by Veterinarian

Presentation : 10 × 4 Boli

KalshineTM Gold

GOLDEN FORMULA ... ENSURES OPTIMUM PRODUCTIVITY & ASSURES LESS INCIDENCES OF MASTITIS

Composition:

Each 100 ml. Provides Nutritional value of :

Calcium : 3500 mg. | Phosphorus : 1750 mg. | VitaminD3 : 15000 I.U. | Chromium : 4 mg
Zinc : 100 mg. | Cobalt chloride : 100mg | Vitamin B12 : 200 mcg. | Vitamin H (Biotin) : 5 mg
Jivanti : 100 mg | Energy Value : Carbohydrate : 40000 mg | Kilocalories : 160
Kilojoules : 670 | Flavoured Base : Q.S

Indication :

Double Strength Calcium & Phosphorus fortified with Herbal Galactagogue...

Jivanti: Leptadenia Reticulate- A Herbal Galactagogue. Simulates the Mammary glands & Increases the flow of Milk Production.

Homogenous Suspension. Faster & Easier Absorption, Better Bioavailability. Fortified with Zinc & Chromium...

Zinc: Keratin Plug in Teat acts as the First line of defense against Pathogens.

More than 40% Keratin Lining damages in each milking. Zinc help to regenerate Keratin Plug & Ketatin layer. It Improves the Immunity by enhancing Microbes killing Power of Neutrophils & Macrophages.

Chromium: It reduces the secretion of CORTISOL (Main Stress Hormone).

A Stress less Animal can give the best Production & Performance.

Also Improves Energy uptake by cells & Feed uptake by Animals. Power Packed with Energy.



Dosage & Administration :

Cattle, Buffalo, Horse & Pig :25ml to 40 ml twice daily.

Calf, Goat, Sheep & Piglet : 10ml to 20 ml twice daily

Presentation :

500ml, 2 lit, 1lit, 5 lit, 10 ltr, 20 ltr.

A good start for healthy growth

ULTRAVIT[®]

Composition:

Each ml contains :

Vitamin A : 50000 I.U.
Vitamin B12 : 25 mcg.
Vitamin D3 : 6000 I.U.
Vitamin C : 100 mg.
Vitamin E : 50 mg.
Vitamin K : 10 mg.
Biotin : 500 mcg.

Indication :

Removes all types of Stress. Ensures Better Growth.

Prevents Panting. Enhances Resistance Power. During

Vaccination, Climatic changes, Deworming, Transportation, Suppressed Growth & Slump in Production.

Tonicity of Muscles and Maintain Healthy Pregnancy.

Improves Fertility. Improves Milk Yield & Milk Quality.

Acts as Immunostimulant.



Dosage & Administration :

Cattle, Buffalo, Horse & Pig : 10 ml to 15 ml daily.

Calf, Goat, Sheep & Piglet : 5 ml to 7 ml daily,

Poultry (For 100 birds) : Chicks- 3-5 ml. daily,

Broilers- 7-8 ml. daily, Layers- 10 ml. daily or

as advised by Veterinarian.

Presentation : 30ml, 60ml, 100ml, 250ml, 500ml, 1lit.

Worried about..... POOR PRODUCTION / INFERTILITY / POOR HEALTH

It could be because of Poor Supplementation



VIMIGOLD™

Composition:

Vitamin A : 1200000 I.U. | Vitamin E : 1200 I.U. | Vitamin D3 : 120000 I.U.
Vitamin K3 : 200 mg. | Niacinamide : 4 gm | Fluorine : 60 mg. | Cobalt : 150 mg.
Zinc : 9600 mg. | Copper : 1200 mg. | Iodine : 3000 mg. | Calcium : 200 gm
Magnesium : 6000 mg | Phosphorus : 100 gm. | Live Yeast Culture : 180 gm.
Iron : 2500 mg. | Sulphur : 0.70% | Manganese : 2000 mg. | Chromium : 80 mg
Sodium : 8 mg. | Potassium : 100 mg. | Selenium : 10 mg.
DL Methionine : 2.2 gm | L-Lysine : 4.4 gm

Presentation : 250 gm, 1 kg, 5 kg & 30 kg.

Indication :

VIMIGOLD Improves General Health, Productivity and Ensures Magic Effects on Growth and Performance. Improves Milk Production and Fat Percentage of Milk. Improves the Resistance Power. Improves Fertility, Corrects Nervous condition. It contains Metho Chelated Minerals, so high bio-availability helps to correct Post Partum Anestrous. Vimigold helps Quick weight gain. Helps to overcome stress, Vitamin and Mineral deficiencies. Improves FCR. Vimigold provide complete nutrition to Fish for quick growth. Increase Production. Improves efficiency of Feed, Digestion capacity and Muscle formation Provides complete Vitamin and Minerals for fast Growth, Bone and Scale formation and better coloration of Fish.

Dosage & Administration :

Cow and Buffalo : 25–30 gm per day. | Calf, Sheep, Pig & Goat : 15–20 gm per day.
100 gm VIMIGOLD per 10 kg of Fish feed, Poultry: 1-2 kg per ton of feed or as advised by Veterinarian.

A Unique & Powerful Scientifically balanced Tonic for Faster & Healthy Growth.

GROWBEST™



Composition:

Each 100 ml provides :

12 Vitamins: Vitamin A : 1000,000 IU. | Vitamin D3 : 200000 IU. | Vitamin B1 : 350 mg
Vitamin B12 : 2000 mg. | Vitamin E : 800 mg. | Vitamin K3 : 500 mg | Choline Chloride : 400 mg.
De Pantothanol : 1500 mg. | Folic acid : 10 mg. | Biotin : 250 mcg | Inositol : 200 mcg Niacinamide : 1.25 mg.
18 Amino Acids : L-Methionine : 500 mg. | L-Lysine : 250 mg. | Threonine : 50 mg
L-Tryptophan : 10 mg | Histidine : 90 mg | Arginine : 49 mg | Aspartic Acid : 145 mg
Serine : 68 mg | Glutamic Acid : 116 mg | Proline : 51mg | Glycine : 50 mg | Alanine : 90 mg
Cystine : 15 mg | Valine : 110 mg | Leucine : 150 mg | Isoleucine : 12 mg
Tyrosine : 30 mg | Phenylalanine : 80 mg

Indication :

For Faster & Healthy Growth. | Maintain Vital Body Function.
Improves Productivity by optimizing FCR, Growth & Weight gain.
Increase Immunity Power to Fight Infections. | Rapid Growth of Calf, Heifer, Sheep ,Goat & Piglet.
Supports in case of Nutritional Deficiency of Vitamins & Amino Acids.
Provides Vital Elements during Stress Conditions like Post Calving, Peak Production, Transportation, Molting, Diet Change, Fast Growth.
Supportive Therapy in Disease condition , General Debility, Stunted Growth, Convalescence , Pregnancy & during Antibiotic Treatment.
Quality of Milk (Fat Percentage)

Dosage & Administration :

Cattle, Buffalo, Horse & Pig : 20ml to 30 ml per day. Calf, Goat, Sheep & Piglet : 10 ml per day Should be given daily for 7 to 10 days, Poultry (For 100 birds) : Broilers- 1-2 ml. per litre, Layers- 2-3 ml. per litre for 5-7 days or as advised by Veterinarian.

Presentation : 250ml, 500ml, 1lit, 5lit



The Only Ideal Oral Haematinic enriched with Liver Extract,
Digestive Enzymes, Calcium & Sorbitol

IRO-LIVTM

Composition:

Each 100 ml provides : Liver Extract : 500 mg.(Derived from 12.5 gm of Fresh Liver) |
Ferrous Gluconate : 200 mg. | Ferrous Chloride : 80 mg. | Biotin : 50 mcg. | Papain : 210 mg. |
Yeast Extract : 50 mg. Thiamine (Vit.B1) : 5 mg. | Riboflavin (vit.B2) : 5 mg. Nicotinic Acid : 20 mg.
Nicotinamide : 45 mg. Calcium Lactate : 300 mg. | Chlorine Chloride : 1000 mg.
Diastase : 300 mg. | In Sorbitol base's.

Indication :

Cures and Prevents Anemia.

Anaemia due to Iron deficiency / Hemoprotozoan Diseases / Parasite (Ticks & Worms) infestations. For weak and Debilitated Animals. Improves FCR & Metabolism. Better Liver Function. Enhance Body Growth & Nourishment. Assures weight gain. Protects Liver from Toxins. Checks Fatty Liver & Kidney syndrome. Treats Anorexia & Debility. Iron is a Principal ingredient which support to maintain, development & maturation of Red Blood cells. Increases the Blood formation by improvement of Haemoglobin in Blood. Supportive treatment in case of Babesiosis.

Dosage & Administration :

Cattle, Buffalo, Horse & Pig :30 ml to 40 ml twice daily.

Calf, Goat, Sheep & Piglet : 20ml to 30 ml twice day.

Poultry (For 100 birds) : Chicks- 10 ml.twice daily,

Broilers- 20-30 ml. twice daily, Layers- 50 ml. twice daily or as advised by Veterinarian.

Presentation : 100 ml/500 ml/1ltr/5 ltr



IMMUNETM

Unique Immunity Booster

Composition:

Glycine : 50mg
Selenium : 200mcg
L-Lycin : 8 mg
DL Methynine : 5 mg
Aloevera : 200mcg
Sodium Chloride : 6.25 mg
Manganese Sulphate : 2.5mg
Vitamin E : 100 mg
Vitamin C : 10.5mg
Biotin- : 300mcg
Potassium Chloride : 5mg
Yeast Extract : 10mg
Amino Nitrogen : 10000 ppm

Indication :

Maintains and Tone-up Immune System (Immunosuppression due to Season Change –Summer Season, Rainy Season, Winter Season), High Production, due to usage of Strong Antibiotic. Acts as Immunomodulator. Increase Resistance against Bacterial and Viral infection, Increase CMI, Maintains Homeostasis, Reduced Vaccination failures (Pre & Post Vaccination to improve Antibody Titer). Adjuvant in the treatment of Gastro-Enteritis, Vomiting, post Antibiotic Treatment. Co therapy with Dermal, Ocular & Otic infections. Helps to increase the activity of Antibiotic by improving body immune system. At the time of disease outbreak for better immune response to protect rest farm animals (Herd Immunity).

Dosage & Administration :

Cattle, Buffalo, Horse & Pig :40 ml to 50 ml daily,
Calf, Goat, Sheep & Piglet : 20ml to 30 ml daily, Poultry
(For 100 birds) : Chicks- 5-10 ml. daily, Broilers- 20-30 ml.
daily, Layers- 50 ml. daily or as directed by Veterinarian.

Presentation : 100 ml, 500 ml, 1 lit



Instant Remedy From Stress..... An Instant Energy

ORASOL™

A Real Oral Rehydration Solution with Instant Energy.

Composition:

Each 100 ml provides

Amla	: 200 mg.
Vitamin E	: 300mg.
Yeast extract	: 200mg.
Glycine	: 300mg.
Calcium Lactate	: 140mg.
Potassium Chloride	: 1863mg.
Magnesium sulphate	: 300mg.
Sodium Chloride	: 292.3mg.
Sodium Citrate	: 4215mg.
Dextrose Monohydrate	: 50000mg.
Vitamin C	: 500mg.
Lysine	: 100mg.
Lactobacillus acidophilus	: 3500x106 spores

In instant energy base

Presentation : 250 ml, 500ml, 1lit, 5lit

Indication :

Stress due to Summer, Winter, Over Crowding, Transportation, Bacterial & Viral Infections & Parasitic Infestations.

Stress of any origin ORASOL is a high Calorie feed supplement. ORASOL is a Readymade solution and used at the time of Gastro-Enteritis (Diarrhea & Dysentery) , Vomiting & Panting.

Immediately after Parturition to compensate the huge fluid loss from Animal body.

Co-therapy with Pre & Post Saline solution Treatment.

Dosage :

Cattle, Buffalo, Horse & Pig : 50 ml twice daily Calf, Goat, Sheep & Piglet : 10ml to 20 ml twice daily Poultry (For 100 birds) : Chicks- 10-20 ml. twice daily, Broilers- 20-30 ml. twice daily, Layers- 40-50 ml. twice daily or as advised by Veterinarian.

End of your Search Answer for All Digestive Disorders

Zymoliv™ Gold LIQUID



Composition:

Liver Fraction:	1.25 gm
(Soluble Liver fraction from 31.25 gm of fresh Liver with Vitamin B12 activity equivalent to 7.5 mcg)	
Yeast Extract :	0.4 gm
Thiamine (Vitamin B1) :	20 mg
Riboflavin (Vitamin B2) :	20 mg
Pyridoxine HCL IP (Vitamin B6) :	2 mg
Nicotinamide IP :	60 mg
Lysin Hydrochloride:	100 mg
DL Mytheonine :	50 mg
L-Tryptophan:	50 mg
Biotin :	100 mg
Choline Chloride :	100 mg
Diastase IP (1:1200) :	100 mg
(Fungal Diastase derived from Aspergillus Oryzae)	
Pepsine IP (1:3000) :	100 mg

Indication :

Corrects Indigestion, Anorexia & Other Digestive Disorders. Improves & Increases Appetite. Improve Metabolism, F.C.R & Weight gain. Supplementary treatment of Aflatoxicosis, Mycotoxicosis , Fatty Liver & Kidney Syndrome.

Dosage & Administration :

Cattle, Buffalo, Pig : 25-30 ml twice daily Sheep, Goat, Piglet: 10 ml twice daily Fish : 300-350 ml for 100 kg fish feed Poultry (For 100 birds) : Chicks- 10 ml. Twice daily, Broilers- 20 ml. twice daily, Layers- 50 ml. twice daily or as advised by Veterinarian.

Presentation : 200 ml., 500 ml., 1 ltr & 5 ltr.

Real growth promoter for quick weight gain
& unique immunomodulator

MORE PORK[®]

Multi Enzyme, Multi Vitamin, Multi Mineral & Pro-biotic Nutritional Supplement

Composition:

Enzymes: Cellulase, Xylanase, Protease, Amylase, Phytase, Lipase, Beta Glucanase, Amylase
Probiotics : Lactobacillus acidophilus, Lactobacillus Sporogenes, Bacillus coagulans,
Saccharomyces Cerevisiae, Bifidolacterium bifidum



Indication :

Vitamin A, D3, E, K3, B1, B2, B6, B12, Biotin, Folic Acid & Niacin

Calcium, Phosphorus, Magnesium Manganese, Zinc, Iron, Copper, Potassium, Cobalt & Selenium
Fortified with Fructo-Oligosaccharide.

Probiotics: Probiotics are "Good" bacteria that help to keep digestive system healthy by controlling growth of harmful bacteria & increasing the number of helpful friendly bacteria. Prevent the adhesion of pathogens to the mucosal surface by competition • Stimulate local immune defences • Restore & Increases micro flora in Rumen • Stabilizes • Rumen pH • Improves Gut Health

Improves Milk production & Milk Fat Percentage

Dosage & Administration :

Large Animal : 20gm to 30 gm twice daily | Small Animal : 5gm to 10 gm twice daily

2kg to 2.5 kg More pork continuously mix with per Tonne of Feed thoroughly & mix when it is cold after cooking or as directed by Veterinarian.

Presentation : 100gm, 500 gm, 1 kg & 5 Kg

Create a Circle of Fence around your farm.

FARMSAFE[™]

Composition:

Each 100 ml contains:

Benzalkonium Chloride IP - 13.6%w/v

Didecyl Dimethyl Ammonium Chloride- 9.2%w/v

Tributyltin Oxide- 1.0% w/v

Dosage & Administration :

Empty farm Shed	4ml-8ml/litre of water
Livestock in shed	4ml/litre of water
Plastics & metal equipment	4ml/litre of water
Hatcher and setter	4ml/litre of water
Hatchery floors and walls	4ml/litre of water
Thermal Fogging	2 Litre Farmsafe in 3 Litre water of for 8000 sq. ft. carpet area

Or as advised by Veterinarian.

Indication :

Terminal disinfection of Cattle, Swine & Poultry farm. Disinfection of Farm Equipments, Incubators, Hatcher, Egg Inventory room (Cold room) & Vehicle. Regular usage reduces the incidences of F.M.D, Swine Fever, H.S, B.Q, Mastitis etc.

Presentation : 200 ml, 500ml, 1 Lit & 5 Lit





Composition:

Each 5 ml provides :

Vitamin B1 : 10 mg. | Vitamin B2 : 3.75 mg. | Vitamin B6 : 2 mg. | Vitamin B12 : 20 mg.
Niacinamide : 80 mg. | Lysine Hcl : 30 mg. | Sorbitol : 40.5 mg. | Calcium Pantothenate : 3 mg.
Biotin : 30 mcg. | Choline Chloride : 30 mg. | Methionine : 20 mg. | Vitamin C : 200 mg.
Vitamin E : 100 mg. | D-panthenol : 3.75 mg.

Indication :

Helps Proper Digestion & Metabolism. Protects Liver from the effect of Toxins. Stimulates Growth and Increases Production. Builds Resistance to Fight against Diseases. Cures Fatty Liver and Kidney Syndrome. Regular usage Stimulates Natural Immunity & Protects Liver, Kidney. It stimulates and brings back the Vitality. Improves overall growth and performance. Improves growth rate by proper feed utilization. Keeps cattle, Pig & Goat Healthy.

Dosage & Administration :

Cattle, Buffalo & Pig : 30 ml to 50 ml daily
Calf, Goat, Sheep & Piglet : 10ml to 20 ml daily Poultry (For 100 birds) :
Chicks- 5-6 ml. daily, Broilers- 8-10 ml. daily, Layers- 10-15 ml. daily
or as advised by Veterinarian.

Presentation : 100ml/ 500ml/ 1 ltr /5 ltr.

*Infection in Respiratory Tract
The Best Choice*

ENCIFLOX

Composition:

Each 10 gms. provides

Ciprofloxacin : 500 mg.
Enrofloxacin : 500 mg.
Vitamin A : 1000 IU
Vitamin E : 5 mg.
Niacinamide : 100 mg.

Dosage & Administration :

Poultry : For prevention 1gm. in 2-3 litres of water.
For Mild Infection 1gm. in 2 litres of water for 3-4 days
For Severe Infection 2gm. per litre of water for 3-4 days
Small Animals : 5-10 gm/daily
Large Animals : 15-20 gm/daily | Orally for 4-5 days
Or as advised by veterinarian.

Indication :

*Respiratory tract infections, Urinary tract infections, G.I. tract infections, Skin & Soft Tissue infections, Bones & Joints infections, colisepticaemia, Infectious Coryza, Myco-plasma spp, B.W.D, Salmonellosis, CRD / CCRD & Fowl Cholera.

* Prevention of early chicks mortality.

* ENCIFLOX covers major indications in poultry such as Pasteurellosis, Staphylococcal infections, mixed bacterial infections, secondary bacterial complication due to viral disease.



Presentation : 50 Gm Sachet

Highly Concentrated, Stable, Safe & Aqueous Dewormer.

PIPZIN-Vet

Piperazine Citrate Oral Solution (Vet)

Composition:

Each 5 ml Contains :

Piperazine Citrate : 750 mg

Indication :

Piperazine citrate is the best treatment of choice for Ascaridia species, Ascaris lumbricoides and Oxyurid worms, and also active against some hookworms (Uncinaria) and round worms (e.g. Oesophagostomum spp, Parascaris equorum, Strongylus vulgaris and hostrongylides) infestations in all domestic animals . It may be administered to pregnant animals and also to animals suffering from gastrointestinal tract disorders due to worm infestation.

Dosage :

Calves : 20 to 30ml | Dog : 2-3 ml Cattle & Buffalo : 2-4 ml /Kg Body Weight | Pig : 1ml /Kg Body Weight
Sheep & Goat : 1ml/Kg Body Weight | Poultry : Up to 12 Weeks of Age: 50ml/ 100 birds Above 12 Weeks of Age : 150 ml/100 Birds (To be Diluted with water) or as advised by Veterinarian.



Presentation : 30 ml.

THE BEST TREATMENT & CONTROL OF INTERNAL & EXTERNAL PARASITES...

AVIMECTM

INJECTION

Composition:

Each ml contains : Ivermectin IP: 10 mg

Indication :

Effective treatment and control of External Parasites : Ticks, Mites, Lice & Grubs.

Treatment of Sarcoptic, Notoedric & Demodectic mange

Internal Parasites: Gastrointestinal Roundworms, Lungworms, Heart Worm, Eye worm, Muscle worm.

Gastrointestinal Roundworms :

Cattle : Ostertagiaostertagi (Including inhibited O. ostertagi), O. lyrata, Haemonchusplacei, Trichostrongylusaxeai, T. colubriformis, Cooperiaoncophora, C. punctata, C. pectinata, Oesophagostomumradiatum, Bunostomumplebotomum, Nematodirusshelvetianus(Adults only), N. spathiger(Adults only)

Swine: Large Roundworm, Ascarissuum(Adults and Fourth-Stage Larvae), Red Stomach worm, Hyostrongylusrubidus (Adults and Fourth-stage Larvae), Nodular worm, Oesophagostomum spp. (Adults and Fourth-stage larvae), Threadworm, Strongyloidesransomi(Adults)

Swine Somatic Roundworm Larvae: Threadworm, Strongyloidesransomi (Somatic Larvae)

Lungworms : Cattle : Dictyocaulusviviparus | Swine : Metastrongylus spp. (adults)

Cattle Grubs (Parasitic Stages): Hypodermabovis, H. lineatum

Sucking Lice: Cattle: Psoroptesovis(syn. P. communis var. bovis),

Sarcoptescabiei var. bovis Swine: Sarcoptescabiei var. suis

Mites : Cattle: Psoroptesovis(syn. P. communis var. bovis),



Presentation : 1 kg., 5 kg.



Amicizia Life Science is committed to become a trusted & admired player in Poultry, Livestock & Aqua culture sector by offering unique & quality products to customers. We are dedicated to bring new solutions and offer unique products manufactured at GMP and ISO-accredited sterile manufacturing facility for Veterinary use through a technical and creative development, oriented towards unmet needs of the veterinarians & animal owners and also dedicated to provide constant technical & commercial support to Companion, Performance & Production animals. "Performance through Excellence" & "Continual Improvement" will be our lifeline to achieve these objectives. Our Policy comprises of Five simple & straight forward axioms:- Customer Satisfaction, Innovative & Cost Effective Products. CGMP in Manufacturing of Products. Employee Involvement & Improvement. Compliance to Legal, Statutory & Regulatory requirement.

Our Mission :

To offer unique veterinary pharmaceuticals and nutritional products, developed in a creative and innovative way, under high quality standards that allows us to provide the best solution to offer our end customers.

Our Vision :

To be one of the leading animal health pharmaceutical companies, not only in sales but also in innovation, value creation and process excellence with a high sense of social responsibility.
Being Friends Forever

Professionalism :

...embodied by Integrity, Honesty & Respect; to live with the belief that doing the right things is the only way to do business.

Excellence :

...the benchmark for everything we do; requires commitment to continually reach above and beyond the ordinary to deliver unsurpassed achievements.

Team :

...our path to great achievement; characterized by a group of like-minded people individually demonstrating their unique talents while collectively striving for success.

Quality Policy :

"Unique Class Products." Our motto to develop and deliver the best Quality veterinary pharmaceutical solutions.