

Where Tradition is Tailored for Poultry Health by the Science of Homeopathy.
Finest Customized Homeopathic formulations for healthier & happier flocks.

Safe, Economical and Miracle Homeopathy Therapy

PREVENT & CURE IBH AND HHS INFECTION AND
HAEMORRHAGIC CHANGES IN LIVER & KIDNEYS IN POULTRY

IBH SHIELD



Indication:

- Any symptoms of IBH (Inclusion body hepatitis) infection. Any symptoms of HHS (Hepatitis Hydropericardium), Haemorrhagic and necrobiotic changes in Liver & kidneys. Hydropericardium syndrome (HPS) known as Litchi heart disease.

Doasage & Administration :

- Prevention: 5ml to 7 ml for 100 birds 2 to 3 hours in drinking water twice daily (Morning/Evening) for 3 to 5 days.
- Treatment: 10ml to 12 ml for 100 birds 2 to 3 hours in drinking water twice daily (Morning/Evening) for 5 days.

Presentation : 500 ml & 1 ltr.

Safe, Economical and Miracle Homeopathy Therapy

UNIQUE HOMEOPATHIC FORMULA TO PREVENT & CURE IBD (GUMBORO)

GUMBO-NULL



Indication:

- Prevents Clinical & Subclinical Gumboro (IBD). Boost Immune Response lost during IBD (Gumboro) outbreak. Prevents Secondary complication after IBD (Gumboro) outbreak. Cures IBD with associated symptoms like Whitish & watery diarrhoea, Lethargy, Ruffled feathers, Anorexia, Inflammation of Vent. Severe prostration, In coordination, Trembling, Wobbly gait etc.

Doasage & Administration :

- Prevention: 5ml to 7 ml for 100 birds 2 to 3 hours in drinking water twice daily (Morning/Evening) for 3 to 5 days.
- Treatment: 10ml to 12 ml for 100 birds 2 to 3 hours in drinking water twice daily (Morning/Evening) for 5 days.

Presentation : 500 ml & 1 ltr.

Safe, Economical and Miracle Homeopathy Therapy

UN-PARALLEL HOMEOPATHIC FORMULA TO
SECURE BIRD'S FROM C.R.D & CORYZA

C-CURE



Indication:

- Prevents & Cures CRD and Coryza. Boost Immune Response lost due to CRD & Coryza. Cures CRD & Coryza with associated symptoms like swelling around face with foul smell, Severe conjunctivitis, Coughing, Ocular discharge, Nasal discharge, Change of voice in breathing, Loss of weight, Drop in feed & water intake, High Fever, Huge drop in egg production etc.

Doasage & Administration :

- Prevention: 5ml to 7 ml for 100 birds 2 to 3 hours in drinking water twice daily (Morning/Evening) for 3 to 5 days.
- Treatment: 10ml to 12 ml for 100 birds 2 to 3 hours in drinking water twice daily (Morning/Evening) for 5 days.

Presentation : 500 ml & 1 ltr.

Safe, Economical and Miracle Homeopathy Therapy

UN-PARALLEL HOMEOPATHIC FORMULA FOR E.COLI

NO-COLI



Indication:

- Prevention & treatment of E.Coli infections, Boost Immune Response due to E.Coli infection. E.Coli with associated symptoms like Diarrhoea (Mild & Severe), Stomach Cramps, Fever, Ruffled Feathers, Depression, Less feed & water intake, Poor growth, change of voice in breathing etc.

Doasage & Administration :

- Prevention: 5ml to 7 ml for 100 birds 2 to 3 hours in drinking water twice daily (Morning/Evening) for 3 to 5 days.
- Treatment: 10ml to 12 ml for 100 birds 2 to 3 hours in drinking water twice daily (Morning/Evening) for 5 days.

Presentation : 500 ml & 1 ltr.

Real growth promoter for quick weight gain
& unique immunomodulator

MORE PORK®

Multi Enzyme, Multi Vitamin, Multi Mineral & Pro-biotic Nutritional Supplement

Composition:

Enzymes: Cellulase, Xylanase, Protease, Amylase, Phytase, Lipase, Beta Gluconase, Amylase

Probiotics : Lactobacillus acidophilus, Lactobacillus Sporogenes, Bacillus coagulans,

Saccharomyces Cerevisiae, Bifidobacterium bifidum



Indication :

Vitamin A, D3, E, K3, B1, B2, B6, B12, Biotin, Folic Acid & Niacin

Calcium, Phosphorus, Magnesium Manganese, Zinc, Iron, Copper, Potassium, Cobalt & Selenium

Fortified with Fructo-Oligosaccharide.

Probiotics: Probiotics are "Good" bacteria that help to keep digestive system healthy by controlling growth of harmful bacteria & increasing the number of helpful friendly bacteria. Prevent the adhesion of pathogens to the mucosal surface by competition • Stimulate local immune defences • Restore & Increases micro flora in Rumen • Stabilizes • Rumen pH • Improves Gut Health

Improves Milk production & Milk Fat Percentage

Dosage & Administration :

Large Animal : 20gm to 30 gm twice daily | Small Animal : 5gm to 10 gm twice daily

2kg to 2.5 kg More pork continuously mix with per Tonne of Feed thoroughly & mix when it is cold after cooking or as directed by Veterinarian.

Presentation : 100gm, 500 gm, 1 kg & 5 Kg

Create a Circle of Fence around your farm.

FARMSAFE™

Composition:

Each 100 ml contains:

Benzalkonium Chloride IP - 13.6% w/v

Didecy Dimethyl Ammonium Chloride- 9.2% w/v

Tributyltin Oxide- 1.0% w/v

Dosage & Administration :

Empty farm Shed	4ml-8ml/litre of water
Livestock in shed	4ml/litre of water
Plastics & metal equipment	4ml/litre of water
Hatcher and setter	4ml/litre of water
Hatchery floors and walls	4ml/litre of water
Thermal Fogging	2 Litre Farmsafe in 3 Litre water of for 8000 sq. ft. carpet area

Or as advised by Veterinarian.

Indication :

Terminal disinfection of Cattle, Swine & Poultry farm. Disinfection of Farm Equipments, Incubators, Hatcher, Egg Inventory room (Cold room) & Vehicle. Regular usage reduces the incidences of F.M.D, Swine Fever, H.S, B.Q, Mastitis etc.

Presentation : 200 ml, 500ml, 1 Lit & 5 Lit



Instant Remedy From Stress..... An Instant Energy



ORASOL™

A Real Oral Rehydration Solution with Instant Energy.

Composition:

Each 100 ml provides	
Amla	: 200 mg.
Vitamin E	: 300mg.
Yeast extract	: 200mg.
Glycine	: 300mg.
Calcium Lactate	: 140mg.
Potassium Chloride	: 1863mg.
Magnesium sulphate	: 300mg.
Sodium Chloride	: 292.3mg.
Sodium Citrate	: 4215mg.
Dextrose Monohydrate	: 50000mg.
Vitamin C	: 500mg.
Lysine	: 100mg.
Lactobacillus acidophilus	: 3500x10 ⁶ spores
In instant energy base	

Presentation : 250 ml, 500ml, 1lit, 5lit

Indication :

Stress due to Summer, Winter, Over Crowding, Transportation, Bacterial & Viral Infections & Parasitic Infestations.

Stress of any origin ORASOL is a high Calorie feed supplement. ORASOL is a Readymade solution and used at the time of Gastro-Enteritis (Diarrhea & Dysentery) . Vomiting & Panting.

Immediately after Parturition to compensate the huge fluid loss from Animal body.

Co-therapy with Pre & Post Saline solution Treatment.

Dosage :

Cattle, Buffalo, Horse & Pig : 50 ml twice daily Calf, Goat, Sheep & Piglet : 10ml to 20 ml twice daily Poultry (For 100 birds) : Chicks- 10-20 ml. twice daily, Broilers- 20-30 ml. twice daily, Layers- 40-50 ml. twice daily or as advised by Veterinarian.

End of your Search Answer for All Digestive Disorders

Zymoliv™ Gold LIQUID



Composition:

Liver Fraction:	1.25 gm
(Soluble Liver fraction from 31.25 gm of fresh Liver with Vitamin B12 activity equivalent to 7.5 mcg)	
Yeast Extract :	0.4 gm
Thiamine (Vitamin B1) :	20 mg
Riboflavin (Vitamin B2) :	20 mg
Pyridoxine HCL IP (Vitamin B6) :	2 mg
Nicotinamide IP :	60 mg
Lysin Hydrochloride:	100 mg
DL Mytheonine :	50 mg
L-Tryptophan:	50 mg
Biotin :	100 mg
Choline Chloride :	100 mg
Diastase IP (1:1200) :	100 mg
(Fungal Diastase derived from Aspergillus Oryzae)	
Pepsine IP (1:3000) :	100 mg

Indication :

Corrects Indigestion, Anorexia & Other Digestive Disorders. Improves & Increases Appetite. Improve Metabolism, F.C.R & Weight gain. Supplementary treatment of Aflatoxicosis, Mycotoxicosis , Fatty Liver & Kidney Syndrome.

Dosage & Administration :

Cattle, Buffalo, Pig : 25-30 ml twice daily Sheep, Goat, Piglet: 10 ml twice daily Fish : 300-350 ml for 100 kg fish feed Poultry (For 100 birds) : Chicks- 10 ml. twice daily, Broilers- 20 ml. twice daily, Layers- 50 ml. twice daily or as advised by Veterinarian.

Presentation : 200 ml., 500 ml., 1 lit & 5 lit.



The Only Ideal Oral Haematinic enriched with Liver Extract, Digestive Enzymes, Calcium & Sorbitol

IRO-LIV™

Composition:

Each 100 ml provides : Liver Extract : 500 mg. (Derived from 12.5 gm of Fresh Liver) | Ferrous Gluconate : 200 mg. | Ferrous Chloride : 80 mg. | Biotin : 50 mcg. | Papain : 210 mg. | Yeast Extract : 50 mg. Thiamine (Vit.B1) : 5 mg. | Riboflavin (vit.B2) : 5 mg. Nicotinic Acid : 20 mg. Nicotinamide : 45 mg. Calcium Lactate : 300 mg. | Chlorine Chloride : 1000 mg. Diastase : 300 mg. | In Sorbitol base's.

Indication :

Cures and Prevents Anemia.

Anaemia due to Iron deficiency / Haemoprotzoan Diseases / Parasite (Ticks & Worms) infestations. For weak and Debilitated Animals. Improves FCR & Metabolism. Better Liver Function. Enhance Body Growth & Nourishment. Assures weight gain. Protects Liver from Toxins. Checks Fatty Liver & Kidney syndrome. Treats Anorexia & Debility. Iron is a Principal ingredient which support to maintain, development & maturation of Red Blood cells. Increases the Blood formation by improvement of Haemoglobin in Blood. Supportive treatment in case of Babesiosis.

Dosage & Administration :

Cattle, Buffalo, Horse & Pig : 30 ml to 40 ml twice daily.

Calf, Goat, Sheep & Piglet : 20 ml to 30 ml twice daily.

Poultry (For 100 birds) : Chicks- 10 ml. twice daily,

Broilers- 20-30 ml. twice daily, Layers- 50 ml. twice daily or as advised by Veterinarian.

Presentation : 100 ml/500 ml/1ltr/5 ltr



IMMUNE™

Unique Immunity Booster

Composition:

Glycine	: 50mg
Selenium	: 200mcg
L-Lycin	: 8 mg
DL Methynine	: 5 mg
Aloeevera	: 200mcg
Sodium Chloride	: 6.25 mg
Manganese Sulphate	: 2.5mg
Vitamin E	: 100 mg
Vitamin C	: 10.5mg
Biotin-	: 300mcg
Potassium Chloride	: 5mg
Yeast Extract	: 10mg
Amino Nitrogen	: 10000 ppm

Indication :

Maintains and Tone-up Immune System (Immunosuppression due to Season Change –Summer Season, Rainy Season, Winter Season), High Production, due to usage of Strong Antibiotic. Acts as Immunomodulator. Increase Resistance against Bacterial and Viral infection, Increase CMI, Maintains Homeostasis, Reduced Vaccination failures (Pre & Post Vaccination to improve Antibody Titer). Adjuvant in the treatment of Gastro-Enteritis, Vomiting, post Antibiotic Treatment. Co therapy with Dermal, Ocular & Otic infections. Helps to increase the activity of Antibiotic by improving body immune system. At the time of disease outbreak for better immune response to protect rest farm animals (Herd Immunity).

Dosage & Administration :

Cattle, Buffalo, Horse & Pig : 40 ml to 50 ml daily,

Calf, Goat, Sheep & Piglet : 20 ml to 30 ml daily, Poultry

(For 100 birds) : Chicks- 5-10 ml. daily, Broilers- 20-30 ml. daily, Layers- 50 ml. daily or as directed by Veterinarian.

Presentation : 100 ml, 500 ml, 1 lit

A good start for healthy growth

ULTRAVIT®

Composition :

Each ml contains :

Vitamin A	: 50000 I.U.
Vitamin B12	: 25 mcg.
Vitamin D3	: 6000 I.U.
Vitamin C	: 100 mg.
Vitamin E	: 50 mg.
Vitamin K	: 10 mg.
Biotin	: 500 mcg.

Indication :

Removes all types of Stress. Ensures Better Growth.
Prevents Panting. Enhances Resistance Power. During
Vaccination, Climatic changes, Deworming,
Transportation, Suppressed Growth & Slump in Production.
Tonicity of Muscles and Maintain Healthy Pregnancy.
Improves Fertility. Improves Milk Yield & Milk Quality.
Acts as Immunostimulant.



Dosage & Administration :

Cattle, Buffalo, Horse & Pig : 10 ml to 15 ml daily.
Calf, Goat, Sheep & Piglet : 5 ml to 7 ml daily,
Poultry (For 100 birds) : Chicks- 3-5 ml. daily,
Broilers- 7-8 ml. daily, Layers- 10 ml. daily or
as advised by Veterinarian.

Presentation : 30ml, 60ml, 100ml,
250ml, 500ml, 1lit.

Worried about..... POOR PRODUCTION / INFERTILITY / POOR HEALTH

It could be because of Poor Supplementation



VIMIGOLD™

Composition :

Vitamin A : 1200000 I.U. | Vitamin E : 1200 I.U | Vitamin D3 : 120000 I.U.
Vitamin K3 : 200 mg. | Niacinamide : 4 gm | Fluorine : 60 mg. | Cobalt : 150 mg.
Zinc : 9600 mg. | Copper : 1200 mg. | Iodine : 3000 mg. | Calcium : 200 gm
Magnesium : 6000 mg | Phosphorus : 100 gm. | Live Yeast Culture : 180 gm.
Iron : 2500 mg. | Sulphur : 0.70% | Manganese : 2000 mg. | Chromium : 80 mg
Sodium : 8 mg. | Potassium : 100 mg. | Selenium : 10 mg.
DL Methionine : 2.2 gm | L-Lysine : 4.4 gm

Presentation : 250 gm, 1 kg, 5 kg & 30 kg.

Indication :

VIMIGOLD Improves General Health, Productivity and Ensures Magic Effects on
Growth and Performance. Improves Milk Production and Fat Percentage of Milk.
Improves the Resistance Power. Improves Fertility, Corrects Nervous condition.
It contains Metho Chelated Minerals, so high bio-availability helps to correct Post Partum Anestrous.
Vimigold helps Quick weight gain. Helps to overcome stress, Vitamin and Mineral deficiencies.
Improves FCR. Vimigold provide complete nutrition to Fish for quick growth. Increase Production.
Improves efficiency of Feed, Digestion capacity and Muscle formation Provides complete
Vitamin and Minerals for fast Growth, Bone and Scale formation and better coloration of Fish.

Dosage & Administration :

Cow and Buffalo : 25-30 gm per day. | Calf, Sheep, Pig & Goat : 15-20 gm per day.
100 gm VIMIGOLD per 10 kg of Fish feed, Poultry: 1-2 kg per ton of feed or as advised by Veterinarian.

A Unique Anti-Diarrhoeal Solution

Sulfa Quin GoldTM

LIQUID

Composition:

Each 5 ml provides :

Furazolidone : 50 mg
Sulphadiazine : 100 mg
Sulphaquinoxaline : 100 mg

Indication :

A unique Anti-Diarrhoeal Solution for effective control of all kinds of Diarrhoea (White Diarrhoea /Green Diarrhoea)



Dosage & Administration :

Poultry (for 100 birds) : 15-20 ml. twice daily

Small Animals : 15-20 ml. twice daily.

Large Animals : 50 ml. twice daily.

Or as advised by Veterinarian.

Presentation : 100 ml., 1 lit., 5 lit

Quick Remedy for CRD

An Ultimate Armour against infection

Floxin-L



Composition:

Each ml contains:

Livofloxacin : 10% W/V

Bromhexine : 0.075% W/V

Fortified with Eucalyptus globules

Presentation : 100 ml., 500 ml, 1 lit, 5 lit

Indication :

Effective against CRD, CCRD, Mixed infections, Fowl

Cholera, E.Coli, Salmonellosis, Early Chick mortality, Infectious

Coryza & Dermatitis. Also very effective against Mycoplasma Spp.

Dosage & Administration :

For Prevention : 1ml in 2 litres of drinking water

For Treatment: 1ml in 1 litre of drinking water
or as advised by Veterinarian.

Complete Relief from Coccidiosis ...

COXIGUARD™

Fast & Most Effective Anti-Coccidial.

Composition:

Each 30 gms. contains :
Amprolium Hcl IP : 20% w/w | Menadione Sodium Bisulphite IP
Equivalent to Menadione : 0.25% w/w | Vitamin K : 40 mg

Indication :

Poultry, Bovine & Swine Coccidiosis.

Dosage & Administration :

Poultry:

Prevention : 1 gm per ltr. of water

Treatment : 2 gm per ltr. of water for 5-7 days

Bovine & Swine : 5 gm along with

Ultravit 5 ml twice daily or as advised by
Veterinarian.

Presentation : 30 gm sachet



Best Choice for Soft Tissue infection.....

TM

AMIXIN™



Cephalexin, an antibiotic in the cephalosporin family, is used to treat infections caused by Bacteria.

Composition:

Each Gram contains Cephalexin IP Equivalent to anhydrous Cephalexin : 75 mg

Indication : Indications, Dose and Directions for Use :

ANIMALS

Indication	Dose
Respiratory Tract/Urinary/ Soft tissue infections e.g., Pneumonia, Bronchitis, Cystitis, Boils, Wounds, Pyrexia of unknown etiology etc. Intrauterine Infections e.g. Endometritis, Cervicitis, Pyometra. Retention of Placenta, Repeat breeding etc.	7.5-10 mg of Cephalexin per kg body weight orally, i.e. for 300 kg body weight one sachet (20 g) twice daily as a drench of with jaggery or with feed.

POULTRY

Indication	Dose
To prevent early chick mortality	20 g sachet daily in drinking water for first 5 days in 40 L of water for 1500 chicks
For Treatment of Diseases e.g. Coryza, Fowl Cholera, Fowl Typhoid, Bacillary White Diarrhoea, E.Coli, Gangrenous Dermatitis and to combat secondary bacterial infections associated with viral diseases.	20 g sachet daily for 1500 chicks /75 growers/ 50 layers for 3-5 days in drinking water.

Presentation : 20 gm sachet

GOUT NULL

Composition :

Composition : Each 100 ml provides

Macrotyloma uniflorum	500 mg
Bergenia pacumbis	450 mg
Allium sativum	150 mg
Mimosa pudica	250 mg
Bergenia ligulata	150 mg
Ocimum sanctum	350 mg
Achyranthes aspera	350 mg
Tribulus terrestris	500 mg
Curcuma longa	450 mg
Potassium chloride	350 mg
Sodium citrate	1000 mg
Sodium chloride	500 mg
Ascorbic acid	200 mg
Ammonium chloride	150 mg
Malic acid	150 mg
Cholecalciferol	1200 IU

Indication :

A Real Urinary Tonic

- Anti Gout, Anti Arthritic & IBD relieving properties
- Natural Detoxifier ▪ Keep Renal system healthy
- Reduces risk of kidney stones Better growth
- & performance ▪ Prevents mortality
- Promotes the excretion of uric acid by flushing out urate crystals. ▪ As a diuretic it removes the excess fluids and helps in flushing.
- Stimulates nephrotic tissues, rejuvenates damages cells helps in normal functioning of kidneys.

Dosage & Administration :

Poultry (For 100 birds) : Chicks- 5 ml. per day, Broilers- 10-20 ml. per day
Layers- 20-30 ml. per day or as recommended by the veterinarian

Presentation : 250 ml., 500 ml., 1 ltr, 5 ltr

UNIQUE NON SEDIMENTAL CALCIUM FOR SKELETAL GROWTH

AvicalTM Gold



Composition:

Each 100 ml. provides :

Protein Hydrolyse : 2000mg | Calcium lacto gluconate : 21%.
Calcium Lactobionate : 14%. | Cholecalciferol (Vit.D3) : 800 IU.
Cyanocobalamin (Vit.B12) : 10.50 mcg. | Ferric Ammonium Citrate : 167mg.
Zinc Sulphate : 60mg. | Folic Acid : 1.87mg. | Lysine : 200mg. | Sorbitol: 300mg.

Indication :

A unique calcium supplement with the best Calcium salt for better absorption in the body fortified with Vitamin D3 :-
Helps in better calcium absorption, Iron :- Oxygen Carrier,
Zinc :- Plays a pivotal role in the regulation of bone homeostasis and
Builds up Calcium reserve in the body, stimulates Skeletal and muscular growth.

Dosage & Administration :

Cattle, Buffalo, Horse & Pig : 50 ml twice daily Calf, Goat,
Sheep & Piglet : 10ml to 20 ml twice daily, Poultry (For 100 birds) :
Chicks- 10 ml.twice daily, Broilers- 20 ml. twice daily, Layers- 50 ml.
twice daily or as advised by Veterinarian.

Presentation : 100ml, 500ml, 1lit, 5lit

OXY VET GOLD

POWDER

Composition:

Each gram provides :

Tetracycline Hydrochloride I P	50 mg
Vitamin E	20 mg
Selenium	2 mg
Niacinamide	25 mg

Dosage & Administration :

Large animals : 2.5-5 g /15 kg body weight

Small animals : 1g / kg body weight

Poultry :

Mild Infection & Prevention : 2.5 g in 4.5 litres of drinking water

Severe Infection : 5 g in 4.5 litres of drinking water or as advised by Veterinarian



Presentation : 100 gm

Furaltadone Water Soluble Powder

FURAVET

Composition:

Each 1 gm contains

Furaltadone as Furaltadone Hydrochloride 200 mg

Indication :

Coliform infections including coli septicemia either alone or following respiratory infections, such as infectious Bronchitis, infectious Laryngotracheitis, CRD, salmonella infections as Bacillary White Diarrhoea (Pullorum Disease), Fowl typhoid and other salmonellosis affecting poultry, infectious synovities, Blackhead.

Dosage & Administration :

Poultry : For prevention 1 gm. in 2-3 litres of water.

For Mild Infection 1 gm. in 2 litres of water for 3-4 days.

For Severe Infection 2 gm. per litre of water for 3-4 days.

Small Animals : 5-10 gm/ daily.

Large Animal : 15- 20gm/daily.

Orally for 4-5 days Or as advised by Veterinarian.



Presentation : 50 Gm Sachet

IROLIV POWER

Duel acting efficacy: Iron & Calcium Supplement + Liver Protector

Composition:

Nutritional Value per 21 gm:

Malt Extract	: 5 gm
Calcium Gluconate	: 400 mg
Ferric Ammonium Citrate (Equivalent to 85 mg of Fe)	: 400 Mg
Copper Sulphate	: 150 mg
Cholecalciferol (Stabilized Vitamin D3)	: 4000 IU
Niacinamide	: 50 mg
Biotin	: 90 mg
Choline Chloride	: 50 mg
Folic Acid	: 2 mg
Cyanocobalamin (Vitamin B 12)	: 20 mcg
Silimarine	: 3 Gm
Tricholine Citrate	: 2 Gm
Flavoured base Colour	: Caramel

Presentation : 1 kg., 5 kg.

Indication :

- Cures & prevents Anemia (Anaemic conditions due to tick infestations, haemoprotezoan diseases and parasite infestations).
- Helps in quick weight gain.
- For weak and debilitated animals.
- Better Egg shell quality
- Improves dressing percentage, Improves Flock uniformity
- Better Liver Function
- Improves FCR & Metabolism
- Protects Liver from Toxin
- Reduce Toxins in Liver.
- Checks Fatty Liver & Kidney syndrome.



Dosage & Administration :

Appropriate overages of Vitamins added to compensate for loss on shortage Poultry:

Chicks: 30 gm per 1000 birds daily

Broilers: 20 gm per 100 birds daily

Layers: 20 gm per 100 birds daily

Breeders: 40 gm per 100 birds daily

Large Animal: 30gm per day for 7 days to 10 days

Small Animal: 15-20 gm per day for 7 days to 10 days



A Scientifically Balanced Formulation of VITAMINS and AMINO ACIDS.

UNIQUE NON-ANTIBIOTIC GROWTH PROMOTER

Composition:

Each 20 ml provides : Vitamin A: 1000,000 IU. | Vitamin B12: 2000 mg | Choline Chloride: 400 mg. Biotin: 250 mcg | Vitamin D3: 200000 IU. | Vitamin E: 800 mg. | De Pantothenol : 1500 mg. Vitamin B1: 350 mg | Vitamin K3: 500 mg | Folic acid: 10 mg. | Niacinamide: 1.25 mg. | Inositol: 200 mcg L-Methionine: 500 mg. | L-Tryptophan: 10 mg | Aspartic Acid: 145 mg | Proline: 51mg | Cystine:15 mg Isoleucine:12 mg | L-Lysine: 250 mg. | Histidine:90 mg | Serine:68 mg | Glycine:50 mg | Valine:110 mg Tyrosine:30 mg | Threonine:50 mg | Arginine:49 mg | Glutamic Acid:116 mg | Alanine:90 mg | Leucine:150 mg Phenylalanine:80 mg

Dosage & Administration :

Broilers : 1 ml per litre of drinking water for 5 to 7 days

Layers : 2 ml per litre of drinking water for 5 to 7 days

Or as directed by the Veterinary Doctors.

Indication :

- Improves Productivity by optimizing FCR, Growth & Weight gain.
- Increase Immunity Power to fight infections.
- Maintain Vital Body function. Supports in case of Nutritional Deficiency like Vitamin & Amino Acid.
- Provides Vital Elements during Stress Conditions like ..Deworming, Vaccinations, Transportation, Molting, Diet Change, De beaking, Fast Growth & Peak Productions.
- Supportive therapy in Disease, Debility, Convalescence & during Antibiotic Treatment.
- Improves Liver function.

Presentation : 500 ml., 1 ltr., 5 ltr.

PGF

(Poultry Growth Formula)

Composition:

Each kg provides:

PROBIOTICS: Lactobacillus acidophilus , Lactobacillus Sporogenes , Sacharomyces cerevisiae , Sacharomyces boulardii , Bacillus coagulans , Bacillus subtilis, Lactobacillus rhamnosus & Bifidobacterium bifidum

ENZYMES: Protease, Lipase, Cellulase, Xylanase, Phytase, Amylase & Beta Gluconase

PREBIOTICS : Fortified with Fructo-Oligosaccharide in Dextrose base

VITAMIN:

Vitamin A : 1500000 IU

Vitamin D3 : 200000 IU

Vitamin E : 4000 mg

Vitamin B1 : 100 mg

Vitamin B2: 400 mg

Vitamin B6 : 600 mg

Vitamin B12 : 100 mcg

Vitamin K3 : 600 mg

Biotin : 200 mcg

MINERAL:

Calcium: 100 gm

Phosphorus: 50gm

Magnesium: 10000 mg

Manganese: 54000 mg

Zinc: 52000 mg

Iron : 20000 mg

Copper : 2000 mg

Iodine :2000 mg

Selenium : 100 mg

Benefits :

- Helps quick weight gain.
- Promote Digestion & Improve FCR.
- Improve Gut health by adjusting intestinal flora balance.
- Decrease enteritis & diarrhea.
- Decrease use of Antibiotic.
- Reduce Feed Cost.
- Reduce Wet litter.
- Reduce Ammonia production in litter.
- Reduce toxin build-up and inflammation..
- Increase disease resistance power.
- Improve survival rate & uniformity.
- Improve anti stress strength.
- Improves digestibility of phosphorus.
- Reduce vitamin & mineral deficiency.
- Provide instant energy.
- A complete health care provider.

Presentation : 250 gm, 500 gm, 1 kg, 5 kg

Dosage & Administration:

Poultry Growth Formula as Water Soluble: 1st week:

1gm in 2 Lit. of water 2nd week onwards: 1gm in 4 Lit. of water

Poultry Growth Formula as Feed Premix: Mix evenly & thoroughly

Broiler: 500 gm of PGF/ Ton of Feed Layer:

750 gm to 1000 gm of PGF /Ton of feed

A TRUE BROAD SPECTRUM ANTIBIOTIC

PRIMASOL



Indication :

Highly effective against Enteritis, Diarrhoea, Dysentery, Bronchitis, Pneumonia, Metritis, Retained Placenta Calf Scour & Coccidiosis.

Dosage & Administration :

Powder:

Poultry for 100 Birds

Chicks: 2-5gm per day | Broiler/Grower: 5 gm per day

Layer: 10 gm per day through drinking water for 3 to 5 days

Small Animal : 5-10gm per day

Large Animal : 15-20gm per day orally for 3 to 5 days or as advised by Veterinarian

Liquid:

Poultry for 100 Birds

Chicks: 5-6 ml | Broiler/Grower: 8-10 ml| Layer: 10-15 ml for 3-5 days

Small Animal : 10 to 20 ml

Large Animal : 30 to 50 ml orally for 3 to 5 days or as advised by Veterinarian

LIQUID

Composition :

Each ml. contains :

Trimethoprim IP : 40 mg.

Sulphadiazine IP: 200 mg.

POWDER

Composition :

Each 5 gms. contains :

Trimethoprim I.P. : 400mg.

Sulphamethoxazole I.P.: 2000mg.

Presentation :

Powder : 30 gm, 100 gm & 500 gm

Liquid : 100 ml, 500 ml & 1 Ltr.

Real Solution is

AQUA-RENA™

Ultimate Armour Against Bacterial , Fungal & Viral infection



Composition:

Each 100 ml contains :
Didecyl Dimethyl Ammonium Chloride :15 gm.
Fast acting Bactericide, Fungicide,
Algaecide and Virucide.
Odourless Sanitizer and Deodorizer.
Non staining.
Effective in 400 ppm hardwater.
Safe to use on all wettable surfaces.

Indication :

Drinking Water Sanitizer for Cattle,
Swine, Poultry and Aqua Culture.
To prevent water borne diseases of
Bacterial, Viral and Fungal origin.

A Proven Aqua Multi Enzyme, Multi Probiotic, Multi Vitamin & Multi Mineral Nutritional Supplement

Composition:

Each kg provides:

PROBIOTICS: Lactobacillus acidophilus , Lactobacillus Sporogenes , Sacharomyces cerevisiae ,
Sacharomyces boulardii , Bacillus coagulans , Bacillus subtilis, Lactobacillus rhamnosus
& Bifidobacterium bifidum

ENZYMES: Protease, Lipase, Cellulase, Xylanase, Phytase, Amylase & Beta Gluconase

PREBIOTICS : Fortified with Fructo-Oligosaccharide in Dextrose base

VITAMIN:

Vitamin A : 1500000 IU
Vitamin D3 : 200000 IU
Vitamin E : 4000 mg
Vitamin B1 : 100 mg
Vitamin B2 : 400 mg
Vitamin B6 : 600 mg
Vitamin B12 : 100 mcg
Vitamin K3 : 600 mg
Biotin : 200 mcg

MINERAL:

Calcium: 100 gm
Phosphorus: 50gm
Magnesium: 10000 mg
Manganese: 54000 mg
Zinc: 52000 mg
Iron : 20000 mg
Copper : 2000 mg
Iodine:2000 mg
Selenium : 100 mg

Benefits :

- Helps quick weight gain.
- Improve survival rate up to 100%.
- Reduce the stress of all types Fishes & Shrimps.
- Promote Digestion.
- Improve FCR & add nutrients, micro & macro minerals.
- Multi probiotics help in growth of biofloc, phytoplankton, Zooplankton & natural blooms.
- Drastic reduction in Ammonia & Hydrogen sulfide levels.
- Reduces vibrio count to make a healthy pond ecology.
- Improve Gut health by adjusting intestinal flora balance.

Dosage & Administration :

Water sanitation: 1 ml / 20 litre of water.
Food contact surface sanitation: 1 ml / 4 litre of water.
Equipment cleaning: 1.25 ml / litre of water.
Aqua Culture: 100 ml in 20 litre of water and
sprinkle at various sites in pond water. (Add 2.5 -5 Litre
Aquarena in 1 Hectare of Pond with
average depth of 1 Metre.or 0.5ml to 1 ml in
2000 litre of water) or
as recommended by Veterinarian.

Presentation : 100 ml, 500ml, 1 Lit & 5 Lit

FGF

(Fish Growth Formula)

- Improves & maintains algal quantity.
- Reduces chances of off flavor problems.
- Decrease use of Antibiotic. ■ Reduces Feed Cost.
- Reduce toxin build-up and inflammation. ■ Increase immunity.
- Improve uniformity & increase stress tolerance.
- Maintain Growth Consistency. ■ Improves digestibility of phosphorus.
- Reduce vitamin & mineral deficiency. ■ Provide instant energy.
- Drastic reduction in Ammonia & Hydrogen sulfide levels.
- Reduces vibrio count to make a healthy pond ecology.
- Improve Gut health by adjusting intestinal flora balance.
- Improves & maintains algal quantity.
- Reduces chances of off flavor problems.
- Decrease use of Antibiotic. Reduces Feed Cost.
- Reduce toxin build-up and inflammation..
- Increase immunity. Improve uniformity & increase stress tolerance.
- Maintain Growth Consistency. ■ Improves digestibility of phosphorus.
- Reduce vitamin & mineral deficiency.
- Provide instant energy. ■ A complete Health care provider.

Dosage & Administration:

1-2 kg per acre of pond or 5gm to 10 gm per 1kg Feed.

Presentation : 250 gm, 500 gm, 1 kg, 5 kg